

Libero SUD



Quickinfo

GENERAL

Outdoor Lighting-wall light
 wall surface mounting
 IP65
 driver on board
 220-240 V 50/60Hz
 ETI
 Shinland
 Die-casting aluminum

COLOUR

● Grey ● Black



ERP LABEL

DOBAC Libero SUD
LED

This luminaire contains built-in LED lamps

A++	LED
A+	
A	
B	
C	
D	
E	

The lamps cannot be changed in the luminaire

847/2012

Purchase Code	Luminaire Power [W]	Luminaire Lumen [lm]	Color Temperature [K]	Beam Angle [°]	CRI [Ra]
5301.012.030.3000.80	2x6	2x420	3000	30	>80
5301.016.030.3000.80	2x8	2x560	3000	30	>80
5301.030.040.3000.80	2x15	2x1050	3000	40	>80



Sample image



Libero SUD




5301.012.030.3000.80

Packing Info

36pcs / ctn

G.W. 15.04kg

ctn size 445x245x350 mm




5301.016.030.3000.80

Packing Info

24pcs / ctn

G.W. 17.44kg

ctn size 420x290x350 mm




5301.030.040.3000.80

Packing Info

18pcs / ctn

G.W. 19.06kg

ctn size 500x265x360 mm



Libero SUD



LIBERO FAMILY

Libero SUD

Libero SU

Libero DUD

Libero SUD
5303.024.030.3000.80



Libero SUD
5303.032.030.3000.80



Libero SUD
5303.060.040.3000.80



Libero SU
5302.008.030.3000.80



Libero SU
5302.010.030.3000.80



Libero SU
5302.020.040.3000.80



Libero DUD
5302.008.030.3000.80



Libero DUD
5302.010.030.3000.80



Libero DUD
5302.020.040.3000.80

